

B.Tech. II Sem. (Main) Examination, July - 2022 2FY2-02 Engineering Physics

Maximum Mar

Time: 3 Hours

Attempt all Ten questions from Part A, Five questions out of Seven questions from Part from Part B and Three questions out of Five questions from Part C. Schematic diagrams must be shown wherever necessary. Any data you feel me

Schematic diagrams must be shown suitably be assumed and stated clearly. Units of quantities used/ calculated

be stated clearly.

Use of following supporting material is permitted during examination. (Menti in form No. 205).

ersahilkagyan.com

PART - A

(Answer should be given up to 25 words only)

All questions are compulsory.

- What will happen if we use a lens (Newton's Ring) of small radius of curvat
- What do you mean by "Q" factor for light?
- State Rayleigh's criterion of resolution. 3.
- What is the physical interpretation of wave-function? 4.
- Define spatial and temporal coherence.
- Write threshold conditions for laser action. 6.
- What is the difference between spontaneous and stimulated emission.
- State Faraday's Law and Bio-Savart Law.
- What do you mean by Maxwell's equations?
- What do mean by covalent and metallic bonding.

PART - B

(Analytical/Problem solving questions)

Attempt any Five questions:

(5×4=20)

- What is Numerical Aperture (NA) of an optical fibre? What does the numerical aperture signify?
- 2. Calculate the conductivity of the intrinsic germanium at 300 K. Given $n_i = 2.4 \times 10^{19}/\text{m}^3$, $\mu_e = 0.39 \text{ m}^2\text{V}^{-1}\text{s}^{-1}$ and $\mu_p = 0.19 \text{ m}^2\text{V}^{-1}\text{s}^{-1}$.
- An electron is confined to a one dimensional box of side 1 A°. Obtain the first four eigenvalue of the electron in eV.
 - A diffraction grating just resolves lines 4547.27 A° and 4547.98 A° in third order. Will it resolve lines 6437.48 A° and 6437.95 A° in the first order?
- Give the construction and working of semiconductor laser. Draw necessary energy level diagrams.
 - In an He-Ne laser system, the two energy levels of Neinvolved in lasing action have energy value of 20.66eV and 18.76eV. Population inversion occurs between these two levels. What will be the wave length of a laser beam produced?
 - Explain fermi-Dirac distribution function and fermi energy.

PART - c ersahilkagyan.com

(Descriptive/Analytical/Problem Solving/Design questions)

Attempt any Three questions:

6.

5.

(3×10=30)

- A plane transmission grating produces and angular separation of 0.01 radian between
 two wavelengths observed at an angle of 30°. If the mean value of the wavelength is
 5000A° and the spectrum is observed in the second order, calculate the difference
 in the two wavelengths.
- The spectral spread of red cadmium light of wavelength 694.3 nm is 0.001 mm.
 Calculate spectral purity factor, coherence length and coherence time.
- Show that the Hall coefficient is independent of the applied magnetic field and is inversely proportional to the current density and electronic charge. Mention the application of Hall Effect.
- State and prove pointing theorem for the rate of flow of energy in electromagnetic field. What is pointing vector?
 - Prove that in high frequency region Laser action is not possible.